From: Schneider, Matthew

Sent: Wednesday, May 09, 2018 09:47 PM

To: Williams, Christopher

CC: Fried, Gregory

Subject: RE: 0000a training/inspection protocol

Thanks Chris, I figured as much. Luckily Marcia is here at the conference as well and she'll be able to speak to it a little bit tomorrow.

-Matt

From: Williams, Christopher

Sent: Wednesday, May 09, 2018 6:32 AM

To: Schneider, Matthew <Schneider.Matthew@epa.gov>

Cc: Fried, Gregory <Fried.Gregory@epa.gov>

Subject: RE: 0000a training/inspection protocol

Enforcement Confidential;

Let's talk about this more when you return.

Ex. 5 Deliberative Process (DP)

Chris

Christopher Williams, P.E.

Air Enforcement Division

U.S. EPA Headquarters, Rm 1142C

William Jefferson Clinton Building-South

1200 Pennsylvania Avenue, N.W.

Mail Code: 2242A

Washington, D.C. 20460

williams.christopher@epa.gov

Tel: 202.564.7889

From: Schneider, Matthew

Sent: Wednesday, May 09, 2018 8:24 AM

To: Williams, Christopher < Williams. Christopher@epa.gov>

Cc: Fried, Gregory <Fried.Gregory@epa.gov>
Subject: 0000a training/inspection protocol

Chris,

I'm attending the Region 6 state air inspector workshop this week in Dallas.

x. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Thanks!

-Matt

Matthew Schneider

Chemical Engineer, Field Branch

US EPA NEIC

303-462-9292